

		49 CFR 192.473 External Corrosion Control: Interference Currents (a) Each operator whose pipeline system is subject to stray currents shall have in effect a continuing program to minimize the detrimental effects of such currents. (b) Each impressed current type cathodic protection system or galvanic anode system must be designed and installed so as to minimize any adverse effects on existing adjacent underground metallic structures.	
Rectifier Directory			
Date	5-28-13	Location Map Attached	Case Number
		<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	1305101
General Data			
Company		Contact	
Dominion Transmission		Gloria A. Dennison	
Address		Office Phone	Cell Phone
139 Tonkin Station Road West Union, WV 26456		(304)873-2641	(304)266-5951
Rectifier/Ground Bed Location			
Wilsonburg Road to Rt 9 Gregorys Run go approx 5/10 mile to station entrance on left			
County		Tax District	
Harrison			
Nearest Town or Municipality		Property Owner	
Clarksburg		Dominion Transmission	
Rectifier Data			
Rectifier Designation / Description			
Rated Output		Operating Output	
70	DC Volts	11.14	DC Volts
50	DC Amps	13.9	DC Amps
		Date Output Taken	
		5-23-13	
Ground Bed Description			
Location From Rectifier			
Feet <input type="checkbox"/> North <input type="checkbox"/> Northeast <input type="checkbox"/> East <input type="checkbox"/> Southeast <input type="checkbox"/> South <input type="checkbox"/> Southwest <input type="checkbox"/> West <input type="checkbox"/> Northwest			
Type of Ground Bed	Number of Anodes	Type of Anodes	Anode Spacing
Distributed	54	SHA Anodes/cast iron	Feet
Structure Protected			
Type of Structure		Size	Length
Compressor Station		Small	
Coating Type	Remarks		
FBE	Lat./Long. 39.303421/-080.407951		
Other Structures			
Companies that may be Affected			